

LASER SAFETY GOGGLES - LG-02-2

PHOTONIK hv

- ✦ **Protect from 200nm ~ 540nm**
- ✦ **Comfortable frame style**
- ✦ **Laser glasses are CE certified***

- **Absorption Type**
- **High Attenuation in range of 200nm ~ 540nm**
- **Incident Angle Insensitive**
- **Stable and Reliable Specially-Doped Substrate Material**
- **Light-Weight and Comfortable**



PART NUMBER: LG-02-2

Main Parameters:

Wavelength Range	200 ~ 540nm
Workable Laser Types	UV/Blue Diode/Gas Laser Argon Laser / 473nm DPSS Laser Nd-YAG(SHG)
Optical Density	>4
Transmission @ Visible Light Band	> 60%
Response Time	< 1 nanosecond

Contact us for other types of laser safety goggles for protection of other laser wavelengths;

Cleaning Instructions:

- Clean with 91% Isopropyl alcohol.
- Wipe spots with non-abrasive cotton swabs or cotton cloth.
- Shake off excess cleaning fluid and blot dry with a soft, clean cloth.

Note:

- Store goggles in protective case when not in use.
- Store in areas not exceeding 80 degrees (26.6c).
- Discard when damaged, or if scratches reduce vision.

Contact Information:

PHOTONIK (SINGAPORE) PTE LTD

German Center, #04-102
25 International Business Park
Singapore 609916
Tel:(65) 6562-7838, 6562-7976 Fax:(65) 6562-7839
Email: sales@photonik.com.sg Web: www.photonik.com.sg

Local Representative: